		AGENCY USE ONLY			
MTG012	MIT NO.: 200	Date Rec'd.: #Amount F		neck No.: BB9	Rec'd By:
		ř			
			. *		
		itana Department c			
	No.	TVIRONMENTAL (	Quali		
PAD	WATEI	R PROTECTION BUREAU	U		
form <b>NOI</b>	Notice of Intent (N	OI) for Montana Pol	lution Disc	harge Eli	mination
1401	System Applicat	tion for New and Exis	sting Conce	ntrated A	Animal
The Application form	n is to be completed by the	Feeding Operat	tions		
form. You must print maintain a copy of the	rumai Flouuchon rachii	ne owner or operator of a Conty. Please read the attached in at are not legible or are not conform for your records.	natorationa haf		•
New					
		ion submitted for this site.	NAPO de 10 a mangamente (mais de distribuita de distribuita de la mangamente de distribuita de d		
Resubmitted	Permit Number:				Makes and the second se
Renewal	Permit Number: 1	The second secon			
Modification		: MTG			
Section B - Facility (	or Site Information (See	instruction sheet.):			·
Site Name <u> </u>	EN VALLEY C	OLONX			
Site Location Sol	17H9il FORD	8 S., 3 E, 15, 1E.	14 mils	Tal	
Nearest City or Town	GILFORD	County	Hill	<u> </u>	
atitude	V	Longitude	-1/ / · · ·		
Date Facility began o	peration? fran 21 - 2				
	ocated on Indian Lands?				
	t (Owner/Operator) Inf			,	
Mailing Address Ra	TIRD DILEGED	IALLEX Colohy			
City State and Zin C	ode DiLFORD A	IN CORSC		RECEI	
hone Number 466	5-376-3167	41, 29323		00-	YED
s the nerson listed abo	ove the owner? Wy	☐ No		UL 16 2	2015
tatus of Applicant (Che	ck one) Federal Sta	L No  nte  Private Public	Other (specify)	DEQWPB	
1				MILE	MINCE DIV

3344



Section	D - Existing or Pen	ding Paits,	Certifications,	or Approvals: 🔑 🔭 one	
	DES			RCRA	
PSI	O (Air Emissions)	***************************************		Other	
<u> </u>	Permit (dredge & fill	)		Other	
Sectio	n E – Standard Indu	strial Classifi	cation (SIC) Co	odes:	
Provi	de at least one SIC code	which best refl	ects the activity of	of project described in Section H.	
Code		rimary	Code	B. Second	
1	252				
Code		Third	Code	D. Fourth	
3	251		3		
	F - Facility or Site (	_		1 /	
Name a	nd Title, or Position	Title <u>Sov</u>	ruel a e H	of cr	
Mailing	Address Box 18	37		AAT	
City, St	ate, and Zip Code	alford N	17 59	1525	
Phone N	Number 4	06-376	- 3167		
Section	G – Receiving Surfa	ice Waters(s):			
	Outfall/Discharge Lo		h outfall, List lati name of the rece	tude and longitude to the neares eiving waters	t second and
	Outfall Number	Latitude	Longitude	Receiving Surface Wa	
	001	4B.4/86d	111,2/7502	Halfwaxe	REEK
	002	*			
	003				
	005			-	
1982 Z. S. S. Company (1982)					
Section I above. A	B depicting the facility of	or activity bound clocation of the	daries, major drai production area,	roperty boundaries or the site act nage patterns, and the receiving sand land application area(s).  d/or phosphorus)  Yes	surface waters, stated
		•			

Section H – Concentration Animal Feeding Operation Characteristics Waste Production, Storage and Disposal Number in Open Number Housed Under **Animal type** Roof Confinement Mature Dairy Cows Dairy Heifers **Veal Calves** Cattle (not dairy or veal) Swine (55 lbs or over) Swine (55 lbs or under) Horses Sheep or Lambs Turkeys Chickens (broilers) 10,00 10,000 KR 45,000 XR Chickens (layers) Ducks

Manure, Litter and/or Wastewater Production and Use.  How much manure, litter, and process wastewater is generated annually by the facility?						
Solid (tons	s):140_0	Liquid/Slurry (gallons):	NONE			
	olied, how many acres of land under control of astewater generated from the facility? (Note: E					
How much	n manure, litter, and process wastewater is tran	sferred to other persons pe	er year? (estimated) Solid			
(tons):	O Liquid	/Slurry (gallons):				
	Were the containment structures built after February 2006?					

Other (Specify:\_ Other (Specify:\_ Other (Specify:\_

3	Type of Containment/S ge	Total Capacity	Units (gallogar tons)	Days of Storage	
8	☐ Anaerobic Lagoon				
blingflow, Build Xes Will in not Xear or Re	☐ Storage Pond #1				
6 0	☐ Storage Pond #2				
28	☐ Storage Pond #3				
2.2	☐ Storage Pond #4				
1 6	☐ Storage Pond #5				
1, 6	☐ Above Ground Storage Tank	215,290	Callow	9 montist	
. 6 3	☐ Below Ground Storage Tank #1			1 Monda	
3,1	☐ Below Ground Storage Tank #2				2000
Lety.	☐ Underfloor Pits				
13,3					
3 >	Roofed Storage Shed				
	Concrete Pad				
	Impervious Soil Pad				
	Other (Specify:	)			
	Other (Specify:	)			
Physica	ll Data for CAFO				
•					and the same of th
Nutrien	t Management Plan				
All Cond	centrated Animal Feeding Operations seek	ing permit coverage	after July 31, 2007 are red	quired to complete a	and
impleme	ent a Nutrient Management (NMP). The NI	MP must be submitte	ed to the Department using	g the form provided	by
the Depa	artment (Form NMP). Check the box below	v that applies and pro	ovide the required informa	ation. The NMP mi	ust be
	ed in accordance with ARM 17.30.1334 an	d implemented upon	the effective date of perm	nit coverage. (Chec	k
One)					
	s the facility have an NMP?				
Date	e NMP was developed:				;
Date	NMP was last modified:		-		
D NMP	has not been prepared; provide detailed ex	xplanation below			
	New-Romit		•		
÷ *	Low 1021 has a				
C - 4°	I Cumplemental Infanti				
Section	I – Supplemental Information				
					***************************************
and the same of th					

# Section J - CERTIFICATION

### Permittee Information:

This Form NMP must be completed, signed, and certified as follows:

- For a corporation, by a principal officer of at least the level of vice president;
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

# All Permittees Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

Somuel AHOFER UP.	
B. Title (Type or Print)	C. Phone No.
D. Signature Samuel A. Hofer	E. Date Signed

The Department will not process this form until all of the requested information is supplied, and the appropriate fees are paid. Return this form (NOI) and the applicable fee to:

Department of Environmental Quality
Water Protection Bureau
PO Box 200901
Helena, MT 59620-0901
(406) 444-3080

RECEIVED

OCT 1 6 2015

DEQMPB PERMITTING & COMPLIANCE DIV

# Form NOI – Applicatio for New and Existing Concerrated Animal Feeding Operations and Aquatic Animal Production Facilities

Important: Do not use this form to transfer permit coverage to a new owner or operator, you must use Form PTN. You must provide the information requested for this application to be complete. Responses must be self-explanatory and must not refer exclusively to attached maps, plans or documents. The appropriate fees must accompany this Form NOI. Mail this to the DEQ address stated on the form. You must maintain a copy of the completed form for your records. CAFO General Permit and the Fish Farm General Permit documents and related forms are available at (406) 444-3080 or on the DEQ website at: <a href="http://www.deq.mt.gov">http://www.deq.mt.gov</a>.

Please type or print legibly; applications that are not legible or are not complete will be rejected.

#### SPECIFIC ITEM INSTRUCTIONS

### Section A – Application Status

Check the box that applies and provide the requested information. If Form NOI has not been previously submitted for this site, check the first box (New). DEQ will assign a permit number when the form is submitted. The permit number is a 9-digit code beginning with MTG010. If you submitted a Form NOI and DEQ deemed the application deficient or incomplete, check the second box (Resubmitted); If you were notified by DEQ that the permit coverage expired or will expire and you are now submitting an NOI to continue coverage check the third box (Renewal); if there is a change in the facility information (Section H or Section I), check the last box (Modification). If a NOI has been submitted and deemed deficient then the permit number will appear in the deficiency letter. If the site is covered under the *General Permit for Concentrated Animal Feeding Operations* or the *General Permit for Fish farms*, the number is given on the Authorization letter sent to you by DEQ. The permit number must be included on any correspondence with DEQ regarding this site.

### Section B - Facility Information:

Identify the legal name of the facility that is subject to permit coverage. The facility is the land or property where the facility or activity is physically located or conducted, including adjacent land used in connection with the facility or activity. Give the address or location of this facility and the geographical information. The location may be the physical mailing address or description of how the facility may be accessed. (PO Boxes are not acceptable.) Latitude and longitude must be accurate to the nearest second. Sources include GPS, a USGS topographic map, and/or "Topofinder" from <a href="http://nris.mt.gov/interactive.asp">http://nris.mt.gov/interactive.asp</a>.

### Section C - Applicant (Owner/Operator) Information:

Give the name, as it is legally referred to, of the person, business, public organization, or other entity that owns, operates, controls or supervises the facility described in Section B of this Form. The operator is the legal entity which controls the facility operation. The permit will be issued to the entity identified in this section (Section C). The owner or operator assumes all liability for discharges of the facility and compliance with the permit. If the owner or operator is other than a person or government entity it must be registered with the Montana Secretary of State's office.

# Section D - Existing or Pending Permits, Certification, or Approvals:

List, in descending order of significance, the four digit standard industrial codes that best describe the activities at this facility. Also, provide a brief description in the space provided. A complete list of SIC Codes (and conversion form the newer North American Industry Classification System (NAICS)) can be obtained from the Internet at <a href="http://www.census.gov/epcd/www/naics.html">http://www.census.gov/epcd/www/naics.html</a> or in paper from the document entitled "Standard Industrial Classification Manual", Office Management and Budget, 1987. SIC Code listings may also be found at <a href="http://www.osha.gov/pls/imis/sicsearch.html">http://www.osha.gov/pls/imis/sicsearch.html</a>. At least on SIC code must be provided. See attached table for common SIC codes.

#### Section F – Facility Contact Person/Position:

Give the name, title, and work phone number of a person who is thoroughly familiar with the operation of the facility and the facts reported in this form, and who can be contacted by DEQ for additional information. Those facilities with periodic changes in the contact person may provide the contact person's position instead of a person's name.

### Section G - Receiving Surface Water(s):

An outfall location is considered to be a discrete channel, conveyance, structure, or flow path from which the discharge leaves the boundary of the facility and/or enters surface water. "Surface waters" is defined in ARM 17.30.1102(32) as any waters on the earth's surface including, but not limited to, streams, lakes, ponds, reservoir, or other surface water including ephemeral and intermittent drainage ways and irrigation systems. Water bodies used solely for treating, transporting, or impounding pollutants shall not be considered surface water. Provide the following information in the table on the application form:

- 1. Assign a number to each outfall starting with 001. If the outfall is not well defined, assign the outfall number to the drainage area. For existing permittees, ensure outfall numbers used are consistent with those identified in the past for the same outfall.
- 2. Latitude/longitude can be derived from USGS 7.5 minute topographic map and/or "Topofineder" at <a href="http://nris.mt.gov/interactive.html">http://nris.mt.gov/interactive.html</a>. Latitude and longitude must be accurate to the nearest second.
- 3. Give the name of the surface waters that receive the discharge. If the discharge reports to a municipal storm sewer, please indicate so.
- 4. Please attach a USGS topographic map(s) indicating the boundary of your facility, major drainage patterns, and the receiving surface water(s).

The facility must check the CWAIC data base at <a href="http://cwaic.mt.gov/">http://cwaic.mt.gov/</a> to determine if the receiving water is impaired for nutrient (nitrate and/or phosphorus).

# Section H - Concentrate Animal Feeding Operation Characteristics: Waste Production, Storage and Disposal:

Report the maximum number of each type of animal confined at any one time and the type of confinement structure used for each (e.g. open feedlot, under roof.)

### Manure, Litter, and/or Wastewater Production and Use:

To *transfer waste* means to give away or sell waste to another person for disposal on land owned or controlled by someone other than the permit applicant.

The term "storage pond," includes, but is not limited to ponds, aerobic lagoons, evaporation ponds, manure holding cells, collection basins, settling basins, bermed or diked areas used for impounding waste, and temporary or seasonal waste holding ponds.

"Production area" means that part of an Animal Feeding Operation (AFO) that includes the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The animal confinement area includes but is not limited to open lots, housed lots, feedlots, confinement houses, stall barns, free stall barns, milk rooms, milking centers, cow yards, barnyards, medication pens, walkers, animal walkways, and stables. The manure storage area includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under house or pit storage, liquid impoundments, static piles, and composting piles. The raw materials storage area includes but is not limited to feed silos, silage bunkers, and bedding materials. The waste containment area includes but not limited to settling basins, and areas within berms and diversion which separate uncontaminated storm water. Also include in the definition of production area is any egg washing or egg processing facility, and any area used in storage, handling, treatment, or disposal of mortalities.

"Land application area" means land under control of AFO owner or operator, whether it is owned, rented, or leased, to which manure, litter or process wastewater from the production area is or may be applied.

#### Section I - Supplemental Information:

Use the space provided to expand upon any information requested in the application or information you wish to bring to the attention of the reviewer. Attach additional sheets, if necessary. For applicants requesting a modification to an existing authorization or site-specific Nutrient Management Plan (aka Form NMP), provide and explanation of the requested modification.

# Common Standard Industrial Classification (SIC) Codes

Division	SIC	Industrial Activity Represented
	211	Beef Cattle Feedlots
	212	Beef Cattle, Except Feedlots
	213	Hogs
	214	Sheep and Goats
	241	Dairy Farms
Agriculture, Forestry and	251	Broiler, Fryer and Roaster Chickens
Fishing	252	Chicken Eggs
	253	Turkeys and Turkey Eggs
	254	Poultry hatcheries
	259	Poultry and Eggs, not elsewhere classified (Ducks)
	272	Horses and other Equines
	921	Fish Hatcheries and Preserves
	1021	Copper Ores
	1031	Lead and Zinc
	1044	Silver Ores
Mining	1041	Gold Ores
iviiiiig	1221	Bituminous Coal and Lignite Surface Mining
	1311	Crud Petroleum and Natural Gas
	1442	Construction Sand and Gravel
	1521	General Contractor - Single Family Houses
	1522	General Contractor - Residential Bldgs. Other Than Single Family
	1542	General Contractor - Nonresidential Buildings, Other than Industrial Buildings and Warehouses
	1611	Highway and Street Construction, Except Elevated Highways
Construction	1622	Bridge, Tunnel, and Elevated Highway construction
	1623	Water, Sewer, Pipeline, communications & Power Line Construction
	1629	Heavy construction, Not Elsewhere Classified
	1794	Excavation Work
	7349	
		Building Cleaning and Maintenance Services, Not Elsewhere
	2011	Meat Packing Plants
	2063	Beet Sugar
Manufacturing	2421	Sawmills and Planning Mills, General
	2611	Pulp Mills
	2911	Petroleum Refining
	3241	Cement, Hydraulic
Transportation,	4911	Electric Services
Communications, Electric,	4941	Water Supply
Gas and Sanitary Services	4952	Sewerage Systems
	4953	Refuse Systems
	5093	Scrap and Waste Materials
Wholesale Trade	5154	Livestock
	5171	Petroleum Bulk Stations and Terminals
Retail Trade	5541	Gasoline Service Station
	5984	Liquefied Petroleum Gas (Bottled Gas) Dealers
	7011	Hotels and Motels
Services	7033	Recreational Vehicle Parks and Campsites
	7542	Carwashes
Dublic Administration	9224	Fire Protection
Public Administration	9711	National Security

# Soils Inventory Report

# HIDDEN VALLEY COLONY INC

Map Unit Symbol		Acres	Percent
	311B	9.2	1%
	331B	33	3%
	33A	28.2	2%
	37A	88.3	7%
	421C	161.2	13%
	503B	963.9	75%
	Total:	1283.8	100%

# Soils Inventory Report

### HIDDEN VALLEY COLONY INC

Map Unit Symbol	Acres	Percent
171C	58.4	2%
28A	15.8	0%
311B	433	12%
331B	150.8	4%
36A	13.2	0%
37A	290.6	- 8%
402A	124.6	4%
421C	606.2	17%
501B	157.2	4%
503B	1486.3	42%
962B	21.7	1%
965B	47.2	. 1%
96B	. 121.9	3%
98B	7.1	0%
Total:	3534	100%

Hill County, Montana

[Minor map unit components are excluded from this report]

Map unit: 28A - Nishon day loam, 0 to 1 percent slopes

Component: Nishon (85%)

The Nishon component makes up 85 percent of the map unit. Slopes are 0 to 1 percent. This component is on depressions. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is high. Shrink-swell potential is high. This soil is not flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during April, May, June, July, August. Organic matter content in the surface horizon is about 1 percent. This component is in the R052XN166MT Overflow (ov) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4w. This soil meets hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 8 percent.

Map unit: 36A - Chinook fine sandy loam, 0 to 2 percent slopes

Component: Chinook (85%)

The Chinook component makes up 85 percent of the map unit. Slopes are 0 to 2 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN163MT Sandy (sy) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 9 percent.

Map unit: 37A - Evanston loam, 0 to 2 percent slopes

Component: Evanston (85%)

The Evanston component makes up 85 percent of the map unit. Slopes are 0 to 2 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Map unit: 96B - Fortbenton fine sandy loam, 0 to 4 percent slopes


Component: Fortbenton (85%)

The Fortbenton component makes up 85 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN163MT Sandy (sy) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Map unit: 98B - Kremlin loam, 0 to 4 percent slopes

Component: Kremlin (85%)

The Kremlin component makes up 85 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e.



Hill County, Montana

Map unit: 98B - Kremlin loam, 0 to 4 percent slopes

Component: Kremlin (85%)

Irrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches,

typically, does not exceed 10 percent.

Map unit: 171C - Delpoint-Cabbart loams, 2 to 8 percent slopes

Component: Delpoint (55%)

The Delpoint component makes up 55 percent of the map unit. Slopes are 2 to 8 percent. The parent material consists of residuum. Depth to a root restrictive layer, bedrock, paralithic, is 20 to 40 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 18 percent.

Component: Cabbart (30%)

The Cabbart component makes up 30 percent of the map unit. Slopes are 2 to 8 percent. The parent material consists of residuum. Depth to a root restrictive layer, bedrock, paralithic, is 10 to 20 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN178MT Shallow (sw) 10-14" P.z. ecological site. Nonirrigated land capability classification is 6e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent. The soil has a slightly sodic horizon within 30 inches of the soil surface.

Map unit: 311B - Ferd-Creed-Gerdrum complex, 0 to 4 percent slopes

Component: Ferd (35%)


The Ferd component makes up 35 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a slightly saline horizon within 30 inches of the soil surface. The soil has a slightly solic horizon within 30 inches of the soil surface.

Component: Creed (25%)

The Creed component makes up 25 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN086MT Claypan (cp) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4s. Irrigated land capability classification is 4s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a moderately saline horizon within 30 inches of the soil surface. The soil has a moderately sodic horizon within 30 inches of the soil surface.

Component: Gerdrum (25%)

The Gerdrum component makes up 25 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN086MT Claypan (cp) 10-14" P.z. ecological site. Nonirrigated land capability classification is 6s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches.



Hill County, Montana

Map unit: 311B - Ferd-Creed-Gerdrum complex, 0 to 4 percent slopes

Component: Gerdrum (25%)

typically, does not exceed 10 percent. The soil has a moderately saline horizon within 30 inches of the soil surface. The soil has a moderately sodic horizon within 30 inches of the soil surface.

Map unit: 331B - Phillips-Elloam complex, 0 to 4 percent slopes

Component: Phillips (60%)

The Phillips component makes up 60 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a very slightly saline horizon within 30 inches of the soil surface.

Component: Elloam (25%)

The Elloam component makes up 25 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is-low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN086MT Claypan (cp) 10-14" P.z. ecological site. Nonirrigated land capability classification is 6s. Irrigated land capability classification is 6s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a moderately saline horizon within 30 inches of the soil surface. The soil has a moderately sodic horizon within 30 inches of the soil surface.

Map unit: 402A - Gerdrum-Absher-Creed complex, 0 to 2 percent slopes

Component: Gerdrum (40%)


The Gerdrum component makes up 40 percent of the map unit. Slopes are 0 to 2 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN086MT Claypan (cp) 10-14" P.z. ecological site. Nonirrigated land capability classification is 6s. Irrigated land capability classification is 6s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a moderately saline horizon within 30 inches of the soil surface.

Component: Absher (25%)

The Absher component makes up 25 percent of the map unit. Slopes are 0 to 2 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is low. Available water to a depth of 60 inches is low. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN172MT Dense Clay (dc) 10-14" P.z. ecological site. Nonirrigated land capability classification is 7s. Trigated land capability classification is 7s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a strongly saline horizon within 30 inches of the soil surface.

Component: Creed (20%)

The Creed component makes up 20 percent of the map unit. Slopes are 0 to 2 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is moderate. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about



Hill County, Montana

Map unit: 402A - Gerdrum-Absher-Creed complex, 0 to 2 percent slopes

Component: Creed (20%)

2 percent. This component is in the R052XN086MT Claypan (cp) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4s. Irrigated land capability classification is 4s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. The soil has a moderately saline horizon within 30 inches of the soil surface. The soil has a moderately sodic horizon within 30 inches of the soil surface.

Map unit: 421C - Joplin-Hillon loams, 2 to 8 percent slopes

Component: Joplin (50%)

The Joplin component makes up 50 percent of the map unit. Slopes are 2 to 8 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Component: Hillon (35%)

The Hillon component makes up 35 percent of the map unit. Slopes are 2 to 8 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Map unit: 501B - Telstad-Hillon loams, 0 to 4 percent slopes

Component: Telstad (45%)

The Telstad component makes up 45 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.


Component: Hillon (40%)

The Hillon component makes up 40 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 1 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Map unit: 503B - Telstad-Joplin loams, 0 to 4 percent slopes

Component: Telstad (55%)

The Telstad component makes up 55 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2



Hill County, Montana

Map unit: 503B - Telstad-Joplin loams, 0 to 4 percent slopes

Component: Telstad (55%)

percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Component: Joplin (30%)

The Joplin component makes up 30 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Map unit: 962B - Fortbenton loam, 0 to 4 percent slopes

Component: Fortbenton (85%)

The Fortbenton component makes up 85 percent of the map unit. Slopes are 0 to 4 percent. The parent material consists of glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low.—Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN161MT Silty (si) 10-14" P.z. ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. There are no saline horizons within 30 inches of the soil surface.


Map unit: 965B - Fortbenton-Chinook fine sandy loams, 0 to 6 percent slopes

Component: Fortbenton (50%)

The Fortbenton component makes up 50 percent of the map unit. Slopes are 0 to 6 percent. The parent material consists of glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN163MT Sandy (sy) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent.

Component: Chinook (35%)

The Chinook component makes up 35 percent of the map unit. Slopes are 0 to 6 percent. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is high. Available water to a depth of 60 inches is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R052XN163MT Sandy (sy) 10-14" P.z. ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 9 percent.




The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this report, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.


The Map Unit Description (Brief, Generated) report displays a generated description of the major soils that occur in a map unit. Descriptions of non-soil (miscellaneous areas) and minor map unit components are not included. This description is generated from the underlying soil attribute data.


Additional information about the map units described in this report is available in other Soil Data Mart reports, which give properties of the soils and the limitations, capabilities, and potentials for many uses. Also, the narratives that accompany the Soil Data Mart reports define some of the properties included in the map unit descriptions.




Agency: USDA-NRCS Assisted By: KAILEE BICKFORD

T31N R12E N half of section 28
T31N R11E E half of section 25
T31N R11E S half of section 35







Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

# 22E--Hillon loam, 15 to 25 percent slopes

Mean annual precipitation: 10 to 13 inches
Mean annual temperature: 39 to 45 degrees F

Frost-free period: 105 to 120 days

#### Hillon and similar soils

Extent: about 85 percent of the unit

Landform(s): hills

Slope gradient: 15 to 25 percent

Parent material: till

Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

Soil loss tolerance (T factor): 5

Wind erodibility group (WEG): 4L

Wind erodibility index (WEI): 86

Land capability class, nonirrigated: 6e

Drainage class: well drained

Hydric soil: no

Hydrologic group: C

Potential frost action: moderate

Ecological site(s): Silty-Steep (SiStp) 10-14" p.z.

Representative soil profile:	Texture	Permeability	Available water capacity	pН	Kw	Kf
A 0 to 3 in	Loam	moderate	0.6 to 0.6 in	7.4 to 8.4	.28	.28
Bk1 3 to 16 in	Loam	slow	1.9 to 2.3 in	7.9 to 9.0	.37	.37
Bk2 16 to 29 in	Clay loam	slow	1.9 to 2.3 in	7.9 to 9.0	.37	.37
Bky 29 to 60 in	Clay loam	slow	4.6 to 5.5 in	7.9 to 9.0	37	.37

### **Minor Components**

Marias and similar soils: 1 percent of the unit

Slopes less than 15 percent and similar soils: 1 percent of the unit

Chinook and similar soils: 2 percent of the unit Delpoint and similar soils: 3 percent of the unit Hillon and similar soils: 7 percent of the unit

Slopes more than 25 percent and similar soils: 1 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

# 33A--Phillips loam, 0 to 2 percent slopes

Mean annual precipitation: 10 to 13 inches
Mean annual temperature: 39 to 45 degrees F

Frost-free period: 105 to 120 days

### Phillips and similar soils

Extent: about 85 percent of the unit

Landform(s): till plains

Slope gradient: 0 to 2 percent

Parent material: till

Restrictive feature(s): none

0

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

Soil loss tolerance (T factor): 3

Wind erodibility group (WEG): 6

Wind erodibility index (WEI): 48

Land capability class, nonirrigated: 3e

Drainage class: well drained

Hydric soil: no

Hydrologic group: C

Potential frost action: low

Ecological site(s): Silty (Si) 10-14" p.z.

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
A 0 to 4 in	Loam	moderate	0.6 to 0.8 in	6.1 to 7.3	.32	.32
E 4 to 10 in	Loam	moderate	0.9 to 1.2 in	6.1 to 7.3	.43	.43
Bt 10 to 20 in	Clay	slow	1.4 to 1.8 in	6.6 to 8.4	.28	.28
Bk 20 to 40 in	Clay loam	slow	2.8 to 3.6 in	7.4 to 9.0	.32	.32
By 40 to 60 in	Clay loam	slow	2.6 to 3.3 in	7.4 to 9.0	.32	32

# **Minor Components**

Nishon and similar soils: 2 percent of the unit Thoeny and similar soils: 3 percent of the unit Scobey and similar soils: 8 percent of the unit Hillon and similar soils: 2 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

# 37A--Evanston loam, 0 to 2 percent slopes

Mean annual precipitation: 10 to 13 inches Mean annual temperature: 36 to 45 degrees F

Frost-free period: 105 to 120 days

#### **Evanston and similar soils**

Extent: about 85 percent of the unit

Landform(s): alluvial fans

Slope gradient: 0 to 2 percent

Parent material: alluvium

Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

Soil loss tolerance (T factor): 5

Wind erodibility group (WEG): 6

Wind erodibility index (WEI): 48

Land capability class, nonirrigated: 3e

Drainage class: well drained

Hydric soil: no

Hydrologic group: B

Potential frost action: moderate

Ecological site(s): Silty (Si) 10-14" p.z.

Representative soil profile:	Texture	Permeability	Available water capacity	pН	Kw	Kf
Ap 0 to 7 in	Loam	moderate	1.1 to 1.4 in	6.6 to 7.8	.20	.20
Bt 7 to 18 in	Clay loam	moderate	1.5 to 2.0 in	6.6 to 7.8	.28	.28
Bk1 18 to 28 in	Clay loam	moderate	1.4 to 1.8 in	7.4 to 8.4	.32	.32
Bk2 28 to 60 in	Loam	moderate	4.5 to 5.7 in	7.4 to 8.4	.32	.32

### **Minor Components**

Kremlin and similar soils: 1 percent of the unit Degrand and similar soils: 8 percent of the unit

Yamacall, calcareous and similar soils: 4 percent of the unit Slopes more than 2 percent and similar soils: 2 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

# 98B--Kremlin Ioam, 0 to 4 percent slopes

Mean annual precipitation: 10 to 13 inches Mean annual temperature: 39 to 45 degrees F

Frost-free period: 105 to 120 days

# Kremlin and similar soils

Extent: about 85 percent of the unit

Landform(s): alluvial fans

Slope gradient: 0 to 4 percent

Parent material: alluvium

Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

Ecological site(s): Silty (Si) 10-14" p.z.

Soil loss tolerance (T factor): 5

Wind erodibility group (WEG): 6

Wind erodibility index (WEI): 48

Land capability class, nonirrigated: 3e

Drainage class: well drained

Hydric soil: no

Hydrologic group: B

Potential frost action: moderate

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
Ap 0 to 6 in	Loam	moderate	0.9 to 1.2 in	6.1 to 7.8	24	.24
Bw 6 to 19 in Bk1 19 to 31 in	Loam	moderate	2.1 to 2.6 in	6.6 to 7.8	.32	.32
Bk2 31 to 60 in	Loam	moderate		7.4 to 8.4		.32
	Loaiii	moderate	4.0 to 5.2 in	7.4 to 8.4	.37	.37

### **Minor Components**

Yamacall, calcareous and similar soils: 2 percent of the unit

Fortbenton and similar soils: 1 percent of the unit Kremlin and similar soils: 8 percent of the unit

Kremlin, steeper slopes and similar soils: 1 percent of the unit

Cozberg and similar soils: 3 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Twilight and similar soils: 3 percent of the unit Blacksheep and similar soils: 4 percent of the unit

Yamacall, calcareous and similar soils: 7 percent of the unit

Very shallow soils: 1 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Slopes less than 8 percent and similar soils: 2 percent of the unit Slopes more than 15 percent and similar soils: 1 percent of the unit

Hillon and similar soils: 2 percent of the unit Kevin and similar soils: 5 percent of the unit Fortbenton and similar soils: 3 percent of the unit Chinook and similar soils: 2 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

			and the second s	CONTRACTOR OF THE PERSON	THE REAL PROPERTY OF THE PERSON OF THE PERSO	
Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
	Loam	moderate	0.3 to 0.4 in	6.1 to 8.4	.37	.37
	Loam	moderate	0.7 to 0.9 in	6.1 to 8.4	.37	.37
	Clay	slow	0.9 to 1.3 in	6.6 to 9.0	.24	.24
	Clay loam	slow	1.0 to 1.6 in	7.9 to 9.0	.32	.32
Bknyz 29 to 60 in	Clay loam	slow	2.5 to 3.7 in	7.9 to 9.0	.32	.32
Gerdrum and similar soils	<b>S</b>					
Extent: about 25 percent of	the unit	Soil loss t	olerance (T fact	or): 2		
Landform(s): stream terrace	es		dibility group (W	•		
Slope gradient: 0 to 4 perce	ent ·		libility index (W			
Parent material: alluvium			•	•		
		Land capa	ability class, nor	nirrigated:	6s_	
Restrictive feature(s): none		Drainage	class: well drai	ned		
Seasonal high water table:	greater than 60 inches	Hydric soi	l: no			
Flooding hazard: none		Hydrologic				
Ponding hazard: none		=	rost action: low			
J		rotential i	rost action: TOW	1		

Ecological site(s): Claypan (Cp) 10-14" p.z.

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
E 0 to 3 in	Clay loam	moderately slow	0.4 to 0.6 in	6.6 to 7.8	28	.28
Btn1 3 to 11 in	Clay	very slow	0.8 to 1.0 in	7.4 to 9.0	.24	24
Btn2 11 to 19 in	Clay	very slow	0.8 to 1.0 in	7.4 to 9.0		.24
Bknyz 19 to 60 in	Clay loam	very slow	3.3 to 4.1 in	7.9 to 9.0	.28	.28

# **Minor Components**

Nishon and similar soils: 1 percent of the unit

Kobase, calcareous and similar soils: 3 percent of the unit

Ethridge and similar soils: 6 percent of the unit Sandy layers below 40 inches: 5 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Hillon and similar soils: 3 percent of the unit Absher and similar soils: 1 percent of the unit Phillips and similar soils: 4 percent of the unit Nishon and similar soils: 1 percent of the unit Scobey and similar soils: 6 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

#### Creed and similar soils

Extent: about 20 percent of the unit

Landform(s): stream terraces
Slope gradient: 0 to 2 percent

Parent material: alluvium Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none Ponding hazard: none

Ecological site(s): Claypan (Cp) 10-14" p.z.

Soil loss tolerance (T factor): 2 Wind erodibility group (WEG): 6 Wind erodibility index (WEI): 48

Land capability class, nonirrigated: 4s

Drainage class: well drained

Hydric soil: no
Hydrologic group: C
Potential frost action: low

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
A 0 to 2 in	Loam	moderate	0.3 to 0.4 in	6.1 to 8.4	.37	.37
E 2 to 7 in	Loam	moderate	0.7 to 0.9 in	6.1 to 8.4	.37	.37
Btn 7 to 16 in	Clay	slow	0.9 to 1.3 in	6.6 to 9.0	.24	.24
Bkn 16 to 29 in	Clay loam	slow	1.0 to 1.6 in	7.9 to 9.0	.32	.32
Bknyz 29 to 60 in	Clay loam	slow	2.5 to 3.7 in	7.9 to 9.0	.32	.32

### **Minor Components**

Sandy layers below 40 inches: 6 percent of the unit Nishon and similar soils: 1 percent of the unit Hillon and similar soils: 6 percent of the unit

Slopes more than 2 percent and similar soils: 2 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Kevin and similar soils: 9 percent of the unit Fortbenton and similar soils: 3 percent of the unit Chinook and similar soils: 1 percent of the unit

Slopes more than 8 percent and similar soils: 2 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Slopes more than 4 percent and similar soils: 5 percent of the unit

Nishon and similar soils: 1 percent of the unit Soils not deep-plowed: 2 percent of the unit Hillon and similar soils: 7 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

### **Minor Components**

Hillon and similar soils: 6 percent of the unit Kremlin and similar soils: 4 percent of the unit Nishon and similar soils: 1 percent of the unit

Slopes more than 4 percent and similar soils: 2 percent of the unit

Scobey and similar soils: 1 percent of the unit

Joplin, calcareous and similar soils: 1 percent of the unit

Hill County, Montana

[Data apply to the entire extent of the map unit within the survey area. Map unit and soil properties for a specific parcel of land may vary somewhat and should be determined by onsite investigation.]

# 965B--Fortbenton-Chinook fine sandy loams, 0 to 6 percent slopes

Mean annual precipitation: 10 to 13 inches

Mean annual temperature: 39 to 45 degrees F

Frost-free period: 105 to 120 days

#### Fortbenton and similar soils

Extent: about 50 percent of the unit

Landform(s): till plains

Slope gradient: 0 to 6 percent

Parent material: glaciofluvial deposits

Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

greater than oo mone

Ecological site(s): Sandy (Sy) 10-14" p.z.

Soil loss tolerance (T factor): 5 Wind erodibility group (WEG): 3 Wind erodibility index (WEI): 86

Land capability class, nonirrigated: 4e

Drainage class: well drained

Hydric soil: no

Hydrologic group: C

Potential frost action: moderate

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
A 0 to 6 in	Fine sandy loam	moderately rapid	0.8 to 0.9 in	6.6 to 7.8	17	17
Bw1 6 to 11 in	Fine sandy loam	moderately rapid	0.6 to 0.8 in	6.6 to 7.8	24	.17
Bw2 11 to 26 in	Fine sandy loam	moderately rapid	1.8 to 2.2 in	6.6 to 7.8	.32	.32
2Bk 26 to 60 in	Clay loam	slow	5.4 to 6.8 in	7.4 to 9.0	37	37

#### Chinook and similar soils

Extent: about 35 percent of the unit

Landform(s): till plains

Slope gradient: 0 to 6 percent Parent material: alluvium

Restrictive feature(s): none

Seasonal high water table: greater than 60 inches

Flooding hazard: none

Ponding hazard: none

Ecological site(s): Sandy (Sy) 10-14" p.z.

Soil loss tolerance (T factor): 5 Wind erodibility group (WEG): 3

Wind erodibility index (WEI): 86

Land capability class, nonirrigated: 4e

Drainage class: well drained

Hydric soil: no Hydrologic group: A

Potential frost action: moderate

Representative soil profile:	Texture	Permeability	Available water capacity	рН	Kw	Kf
A 0 to 4 in	Fine sandy loam	moderately rapid	0.5 to 0.6 in	6.6 to 8.4	17	17
Bw 4 to 21 in	Fine sandy loam	moderately rapid	2.0 to 2.5 in	6.6 to 8.4	24	.24
Bk 21 to 41 in	Fine sandy loam	moderately rapid	2.4 to 3.0 in	6.6 to 9.0	.24	.24
BC 41 to 60 in	Loamy fine sand	moderately rapid	2.1 to 2.3 in	7.4 to 9.0	.15	.15

Montana Department of Environmental Quality

WATER
PROTECTION
BUREAU

Check No .:

Rec'd By:

FORM

PERMIT NO.:

NMP

Section A – NMP Status:

# Nutrient Management Plan

READ THIS BEFORE COMPLETING FORM: Before completing this form (Form NMP), Concentrated Animal Feeding Operation (CAFO) operators need to read the General Permit, particularly Part IV.A. CAFO operators also need to read the "Instructions For filling out Form NMP," found at the back of this form. Form NMP is intended to help CAFO operators develop a site-specific Nutrient Management Plan, in compliance with Part IV.A of the General Permit and all applicable State rules and statutes. Your Nutrient Management Plan must be maintained at the site as required in Part III of the General Permit. Sections B and C on your Form NMP must state the information exactly the same way as it was stated on the most recently submitted version of your NOI-CAFO. Attach additional pages as necessary, indicating the corresponding section number on this NMP form. The 2013 General Permit, current fee schedule, and related forms are available from the Water Protection Bureau at (406) 444-3080 or <a href="https://www.deq.mt.gov/wqinfo/MPDES/CAFO.asp">https://www.deq.mt.gov/wqinfo/MPDES/CAFO.asp</a>

AGENCY USE ONLY

Amount Rec'd .:

Date Rec'd .:

New	No prior NMP submitted for this site.
Resubmitted	Previous NMP found incomplete.
Modification	Change or update to existing NMP.
New 2013	New 2013 version of NMP.
Section B - Facility	Information:
Facility Name #1	OPENVALLEY COLONY
	OUTH DILFORD
Nearest City of Town	DILFORD MT. County HILL
Section C - Applica	nt (Owner/Operator Information):
Owner or Operator N	ame HIPPEN VALLEY COLONY
Mailing Address	BOX 189
City, State, and Zip c	ode DILFORD MT 59522
Facility Phone Numb	er <u>406-376-3167</u>
Email	

	Animal Type and number of animals	# of Days on Site (per year)	Annual Manure Production (tons, cu. yds. or gal
	1. LAXe RS	365	1400 Ton
	1. LAXe RS 2. Broilers	365	300
	J.		
	4.		
	5.		
	6.		
	7.		
	8.		
etho	od used for estimating annual ma	nure production:	
	sed Intoke		
_	escribe Manure handling at the fa	acility:	
b. Free. Is t	tha, Stoking Lad equency of Manure Removal from 4 Pays	n confinement areas:	ement area? Yes No

Section D - NMP Minimum Elements:

	Waste Control	Length	Width	Depth	Volume	Number of
	Structures	(ft.)	(ft.)	(ft.)	(cubic ft.	days of
	(name/type)				or gallons)	storage
	1. Stocking Pod	2				
	2.'					
	3.					
	4.					
	5.					
ty.	6.					
	7.					
	8.					
	9.					
	10.					
	11.				_	
and the second s	12.					
	s the 24 hr. 25 yr. storm				. 6	
Product Area co	s the 24 hr. 25 yr. storm tion area:	acres. T	ype of lot (c	lirt or pave		id waste storage,
Produci Area co conveya	tion area:	acres. T	ype of lot (d AFO that en	lirt or pave oters confine acres.	ement areas ar	
Product Area co conveya What is	tion area:	acres. T rm outside Ca ctures: on during the	Ype of lot (december of that end of that end of the content of the	lirt or pave ters confine acres.	ement areas ar IJal 9-	
Product Area co conveya What is How mu	ontributing drainage for ance, or treatment structures the annual precipitation with the polynomials.	acres. Trm outside Cartures:a	Ype of lot (decorated of the state of the st	ters confine acres. age period	ement areas an  Total 9-	10 in Next lew provide
Product Area co conveya What is How mu	ontributing drainage for ance, or treatment structure the annual precipitation and freeboard do the position of the position o	acres. Trm outside Cartures:a	Ype of lot (decorated of the state of the st	ters confine acres. age period	ement areas an  Total 9-	10 in Next lew provide

5. Clean Water Diversion Practice  Describe how clean water is diverted from production area: Likea	
	<b>.</b>
	···
6. Prohibiting Animals and Wastes from Contact with State Waters  Describe how animals and wastes are prohibited from direct contact with state waters:	
Beams & Qikes	
Describe how Chemicals and other contaminants are handled on-site:  Confined area.	
7. Best Management Practice (BMPS)	
Describe in detail all temporary, permanent and structural BMPS which will be used to copollutants from facility's production area. Indicate the location of these measures. If BMP installed include a schedule for implementation of each of these measures. Examples of BI could include but are not limited to: constructing ditches, terraces,, and waterways above divert clean water run on; installing gutters, downspouts and buried conduits to divert roo providing more roofed area: decreasing open lot surface area; repairing of adjusting water minimize water wastage; using practical amounts of water for cooling purposes; recycling practical and applicable.	S are not MP measures and open lot to of drainage;
Production Area BMP's <u>Will be strotalled in Next Kew</u>	

Describe in detail all temporary, nanent and structural Best Managen Practices (BMPs) which will be used to control runoff of pollutants from facility's land production area. Indicate the location of these practices. If not already in use, include a schedule for implementation of each of these measures						
measures could include b	mcauons may be us III are not limited to	ed to supplement this desci	ription. Examples of BMP			
applications; managing irrigation practices to prevent ponding of wastewater on land application sites; never spray irrigating waste on to frozen ground: consulting with the Department prior to applying any liquid waste to frozen or snow-covered ground; applying wastes at agronomic rates.  Land Application BMP's						
	Transferred Colored Co					
	Microsoft share the contract of the contract o					
Buffers	(Yes) No	Conservation Tillage	Yes No			
Constructed Wetlands	Yes No	Grass Filter	Yes No			
Infiltration Field	Yes (No)	Residue Management	Yes No			
Set backs	(Yes No	Terrace	Yes No			
Other examples	THE STATE OF THE PROPERTY OF THE STATE OF TH					
9 Immandation Orange	C. B.G.		And the second control			
8. Implementation, Operat						
maintenance of the facility	and record bearing	addressing implementatio	n of NMP, proper operation and			
maintenance of the facility  Has a guidance document			No No			
ALLOW TO SHAMMAND TO CONTAIN VALUE	occur acremben to	the facility? Yes (	180)			
	a 1 /		_			
	New B	semit en brok	all			
			4			

Certify the document address the lowing requirements:
Implementation of the NMP: Yes No
Facility operation and maintenance: (Yes No
Record keeping and reporting Yes No
Sample collection and analysis: Yes No
Manure transfer Yes No
Provide name, date and location of most recent documentation:
New Aff.
If your answer to any of the above question is no, provide explanation:
Section E – Land Application
Will manure be land applied to land either owned, rented, or leased by the owner or operator of the facility?
No If no, then provide an explanation of how animal waste at this facility are managed.
The waste at this facility are managed.
Photos and/or Maps
Attach an aerial photograph or man of the site where manure is to be applied. (Use multiple at the site where manure is to be applied.)
necessary to show required details.) The photo(s)/man(s) must be printed on no lorger than an 11222 1520
or paper, and most elearly identify the following items:
<ul> <li>A name, number, letter or other means of identifying each individual land application field</li> <li>The location of any downgradient surface waters.</li> </ul>
The location of any downgradient open tile line intake structures
The location of any downgradient sinkholes
<ul> <li>The location of any downgradient agricultural well heads</li> </ul>
The location of all conduits to surface waters
<ul> <li>The specific manure/waste handling or nutrient management restrictions associated with each land application field</li> </ul>
• The soil type(s) present and their locations within the individual land application field(s)
• The location of buffers and setbacks around state surface waters, well heads, etc.
Land Application Equipment Calibration
Describe the type of equipment used to land apply wastes and the colibration are a disconnection.
Planing For TRUCK munure Spreader with land
Calebrate Even There
Manure Sampling and Analysis Procedures
A representative manure sample will be analyzed a minimum of once annually for Total Nitrogen, and Total
Phosphorus. Analysis results will be reported in lbs/ton or lbs/1,000 gal. Results of these analyses will be used

in de	termining rates for manure, litt and process ware Sample collection will occur according to A	astewater.				
	(describe)	RM 17.30.1334				
Repre applie a qual		6 inches layer of soil for each field where manure will be east once every three years. Analyses will be conducted be will be reported in parts per million (ppm) and will be r, and process wastewater				
Soil s	amples collection will occur according the meth	ods in ARM 17.30.1334				
Other	(describe)					
may b The pe tables submi	e applied. If a new field is added in the future, the remittee has the option of using Method A or Me and calculations used to complete the assessment ted to the Department and copies shall be maint	amination of state waters. An assessment shall be ator, to which manure, litter or process wastewater will or nen the permittee must submit a revised (modified) NMP. ethod B (below) to complete the assessment. Copies of all ats, as well as the results of the assessments, shall be tained on-site at the facility and available for shall be used to determine the appropriate basis for land				
Indicat	te which method will be used to determine phose Method A Representative Soil Sample Method B – Phosphorus Index	phorus application:				
a. b.	anarysis, and the result must be reported in part	qualified lab. The "Olson D toot" must be used to				
Soil Te	est					
-	Olsen P Soil Test Results (ppm)	Application Basis				
-	<25.0 Nitrogen Needs of Crop					
<b>}</b>	25.1 - 100.0 Phosphorus Needs of Crop					
<b>}</b>	100.0 – 150.0	Phosphorus Needs up to Crop Removal Rate				
L	>150.0	No Application allowed				

# Method B – Phosphorus Index

a. Complete a phosphorus Index according to the crop grown on each field. Complete table in Appendix A to calculate phosphorus index. For information on filling out specific sections in Appendix A, please refer to the method as described in Natural Resource Conservation Service (NRCS), Agronomy

- Technical Note MT-77 (rev January 2006.
- b. Using the calculated Total Phosphorus Index Value, assign the overall site/field vulnerability to phosphorus loss according to the table below.

Total Phosphorus

Total Phosphorus Index Value	Site Vulnerability to Phosphorus Loss
<11	Low
11-21	Medium
22-43	High
>43	Very High

c. Using the calculated Site Vulnerability to Phosphorus Loss, determine the appropriate application basis according to the table below.

Site Vulnerability to Phosphorus Loss	Application Basis
Low	Nitrogen Needs
Medium	Nitrogen Needs
High	Phosphorus Need Up to Crop Removal
Very High	Phosphorus Crop Removal or No Application

The applicant has 2 ways in which to report how manure or process wastewater application rates can be reported to DEO.

- 1. Linear Approach. Expresses rates of application as pounds of nitrogen and phosphorus. CAFOs selecting the linear approach to address rates of application must include in the NMP submitted to the permitting authority the following information for each crop, field, and year covered by the NMP, which will be used by the permitting authority to establish site-specific permit terms:
- The maximum application rate (pounds/acre/year of nitrogen and phosphorus) from manure, litter, and process wastewater.
- The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field. [If a state does not have an N transport risk assessment, the NMP must document any basis for assuming that nitrogen will be fully used by crops.] The CAFO must specify any conservation practices used in calculating the risk rating.
- The crops to be planted or any other uses of a field such as pasture or fallow fields.
- The realistic annual yield goal for each crop or use identified for each field.
- The nitrogen and phosphorus recommendations from in ARM 17.30.1334 (technical standard) for each crop or use identified for each field.
- Credits for all residual nitrogen in each field that will be plant-available.
- · Consideration of multi-year phosphorus application. For any field where nutrients are applied at a rate based on the crop phosphorus requirement, the NMP must account for single-year nutrient applications that supply more than the crop's annual phosphorus requirement.
- · All other additions of plant available nitrogen and phosphorus (i.e., from sources other than manure, litter, or process wastewater or credits for residual nitrogen).
- The form and source of manure, litter, and process wastewater to be land-applied.
- The timing and method of land application. The NMP also must include storage capacities needed to ensure adequate storage that accommodates the timing indicated.
- The methodology that will be used to account for the amount of nitrogen and phosphorus in the manure, litter, and wastewater to be applied.
- Any other factors necessary to determine the maximum application rate identified in accordance with this

### Linear Approach.

- 2. Narrative Rate Approach. Expresses a narrative rate of application that results in the amount, in tons or gallons, of manure, litter, and process wastewater to be land applied. CAFOs selecting the narrative rate approach to address rates of application must include in the NMP submitted to the permitting authority the following information for each crop, field, and year covered by the NMP, which will be used by the permitting authority to establish site-specific permit terms:
- The maximum amounts of nitrogen and phosphorus that will be derived from all sources of nutrients (pounds/acre for each crop and field).
- The outcome of the field-specific assessment of the potential for nitrogen and phosphorus transport from each field. The CAFO must specify any conservation practices used in calculating the risk rating.
- The crops to be planted in each field or any other uses of a field such as pasture or fallow fields, including alternative crops if applicable. Any alternative crops included in the NMP must be listed by field, in addition to the crops identified in the planned crop rotation for that field.
- The realistic annual yield goal for each crop or use identified for each field for each year, including any alternative crops identified.
- The nitrogen and phosphorus recommendations from [the permitting authority to specify acceptable sources] for each crop or use identified for each field, including any alternative crops identified.
- The methodology (including formulas, sources of data, protocols for making determination, etc.) and actual data that will be used to account for: (1) the results of soil tests required by Parts II.A.4.b and III.A.3.g of this permit, (2) credits for all nitrogen in the field that will be plant- available, (3) the amount of nitrogen and phosphorus in the manure, litter, and process wastewater to be applied, (4) consideration of multi-year phosphorus application (for any field where nutrients are applied at a rate based on the crop phosphorus requirement, the methodology must account for single-year nutrient applications that supply more than the crop's annual phosphorus requirement), (5) all other additions of plant available nitrogen and phosphorus to the field (i.e., from sources other than manure, litter, or process wastewater or credits for residual nitrogen), (6) timing and method of land application, and (7) volatilization of nitrogen and mineralization of organic nitrogen.
- · Any other factors necessary to determine the amounts of nitrogen and phosphorus to be applied in accordance with the Narrative Rate Approach.
- NMPs using the Narrative Rate Approach must also include the following projections, which will not be used by the permitting authority in establishing site-specific permit terms:
- i. Planned crop rotations for each field for the period of permit coverage.
- ii. Projected amount of manure, litter, or process wastewater to be applied.
- iii. Projected credits for all nitrogen in the field that will be plant-available.
- iv. Consideration of multi-year phosphorus application.
- v. Accounting for other additions of plant-available nitrogen and phosphorus to the field.
- vi. The predicted form, source, and method of application of manure, litter, and process wastewater for each crop
  - If the receiving water is on the 303(d) list for nutrients then the narrative rate approach must be used.
  - For the Linear Approach the permittee will complete the Nutrient Budget Worksheet, below, for the next 5 years to which manure or process waste water is or may be applied. A copy of each Nutrient Budget Worksheet will be maintained on site, and a copy will be submitted to the Department.

		ed Crop Yield: orus index results or Phosphoru	s application from	soil test: IU	A. Ato .
M	ethod	of Application:	supplication nom	son test.	1 -
		vill application occur: Fall	er - incorpo a Spring	July Product	<i>00:</i> 3
		t Budget	Nitrogen-based	Phosphorus-	Source of
		_	Application	based	information
			an the la	Application	
1		Crop Nutrient Needs,	20/19/Ac		
1.	<u> </u>	lbs/acre	5	1.6	
2	(-)	Credits from previous	<i>I</i> O		
		legume crops, lbs/ac	0		
3	(-)	Residuals from past manure			
		production lbs/acre	0		
		Nutrients supplied by			
4	(-)	commercial fertilizer and			
	<u> </u>	Biosolids, lbs/acre	$\mathcal{O}$		
5	(-)	Nutrients supplied in	<i>A</i>		
		irrigation water, lbs/acre	Ø		
6		= Additional Nutrients	337.0n	ŧ	
		Needed, lbs/acre	- 1,00		
		Total Nitrogen and		·	
7		Phosphorus in manure,			
		lbs/ton or lbs/1000 gal	E 13		
		(from manure test) Nutrient Availability factor,	0 /		
8	(x)				
Ų	(A)	application use 1.0	7		
		= Available Nutrients in	* /		
9		Manure, lbs/ton or	771		
		lbs/1000 gal	37.1		
		A treat to the second of			
		Additional Nutrients			
10		needed, lbs/acre (calculated	$Q \cap$		
		above)	00		
		Available Nutrients in	5		
11	(/)	Manure, lbs/ton or lbs/1000	27.1		
		gal (calculated above)	J "		
.		= Manure Application	154		
12		Rate, tons/acre or 1000	J- 156		
		gal/acre	Tours De		

### Section F - CERTIFICATION

Permittee Information: This form must be completed, signed, and certified as follows:

- For a corporation, by a principal officer of at least the level of vice president;
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

# All Permittees Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

A. Name (Type or Print)	
SAMUEL AHOFER V.P.	
B. Title (Type or Print)	C. Phone No.
O.f.	406-396-316
D. Signature	E. Date Signed

The Department will not process this form until all of the requested information is supplied, and the appropriate fees are paid. Return this form and the applicable fee to:

Department of Environmental Quality
Water Protection Bureau
PO Box 200901
Helena, MT 59620-0901
(406) 444-3080

# INSTRUCTION FOR : m NMP – Nutrient Manage ent Plan Associated With Concentrated Animal Feeding Operations

You may need the following items in order to complete this form: A copy of your most recently submitted NOI-CAFO: United States Department of Agriculture (USDA), Natural Resources Conservation Service (NRCS), No. 80.1 Nutrient Management, Agronomy Technical Note MT-11 (revision 3), January 2006; Montana State University Extension Service Publication 161, Fertilizer Guidelines for Montana Crops; United States Department of Agriculture (USDA), Natural Resource Conservation Service (NRCS), Sampling Soils for Nutrient Management – Manure Resource, MT 04/07; Montana State University, Mont Guide, Interpretation of Soil Test Reports for Agriculture, MT200702AG, July, 2007; United States Department of Agriculture (USDA), Natural Resource Conservation Service (NRCS), Conservation Practice Standard, Code 590 (November 2006) and Waste Utilization, Code 633 (August 2000).

Please type or print legibly; forms that are not legible will be considered incomplete.

#### SPECIFIC ITEM INSTRUCTIONS

#### Section A - NMP Status:

Check the box that applies and provide the requested information. If the Form NMP has not been previously submitted for this site, check the first box (New). If you submitted a FORM NMP and the department found it to be incomplete, check the second box (Resubmitted);

If you were notified by the Department that the permit coverage expired and you are now submitting and updated Form NMP, check the third Box (Modification). If you have received a deficiency letter in regard to your NMP application the facilities assigned designation will be noted in the RE: line starting with MTG#####. If the site is covered under the General Permit for Concentrated Animal Feeding Operation, the number is given on the Authorization letter sent to you by the Department. The permit number must be included on any correspondence with the Department regarding this site.

### Section B - Facility Information:

The information must be stated exactly the same way as it was stated on the most recently submitted version of your form NOI-CAFO.

# Section C – Applicant (Owner/Operator) Information:

The information must be stated exactly the same way as it was stated on the most recently submitted version of your form NOI-CAFO.

# Section D - Waste Management Minimum Elements:

1. Livestock Statistics: Identify each type of animal confined at this facility. The definition of "type" could include animals of a given species, animals of a given weight class (e.g. piglets, sows), or animals housed for a specific purpose (e.g. dry cows, milking cows).

- "number of days on site per year" means the number of days at least one animal of a given type is held in confinement during 12-month period.
- "Annual manure production" means the volume of manure (from a given animal type) that is stored, land applied, or transferred to another person during any given 12-month period.
- "Method used for estimating annual manure production." When describing the method used to calculate annual manure production, include all formulas, factors, references to tables, and other resources used to calculate manure production. Be sure to account for soiled bedding materials and manure-contaminated runoff water, which is also consider manure under state regulations. For example on how to calculate manure production see <a href="http://animalrangeextension.montana.edu/articles/natresourc/cnmp/nonprint/step2.htm">http://animalrangeextension.montana.edu/articles/natresourc/cnmp/nonprint/step2.htm</a>.

#### 2. Manure Handling

Describe manure handling at the facility.

- 3. Waste Control Structures. List all waste control structures. These may include, but are not limited to, manure lagoons, manure ponds. Evaporation ponds, wastewater retention ponds, contaminated runoff retention ponds, settling basins, underground storage tanks, underfloor pits, manure solids stacking pads, vegetative treatment strips, composting facilities, and dry stack facilities. Berms, dikes, concrete curbs, ditches, and waste transfer pipelines are also waste control structures and must be listed; though some of the requested measurements may not apply (e.g. "column" usually does not apply to a waste transfer pipeline).
- "25-year 24-hour rainfall event" means a precipitation event with a probable recurrence interval of once in 25 years as defined by the National Weather Service in Technical Paper Number 40, "Rainfall Frequency Atlas of the United States," May 1961, and subsequent amendments, or the equivalent regional or state rainfall probability information developed therefrom.
- "Critical Storage period" The minimum design volume for liquid manure storage structures is based on the expected length of time between emptying events that result in maximum production of process wastewater, including runoff from the production area. That period is the *critical storage period*. The critical storage period is considered to the 180 days starting November 1<sup>st</sup> to April 30.
- 4. Disposal of Dead Animals. Please be as specific as possible with the information that you provide. For example, if dead animals are disposed of by burial, the method/practice description should include the fact that they are buried, how quickly after death they are hauled to the burial site, and how quickly they are covered with soil and the depth of the soil cover over the animal. The method/practice location information should be detailed enough that an inspector can find the site without the need for additional guidance (e.g. latitude and longitude). It may not simply reference a map.
- **5. Clean Water Diversion Practices**, The practice description does not need to be any more detailed than "berm", "ditch", grassy swale," etc. The practice location may not simply reference a map.
- 6. Prohibiting Animals & wastes from Contact with State Waters. The practice description does not need to be any more detailed than "fence", "wall", etc. The practice location may not simply reference a map.

Chemicals and Contaminants. List all major chemicals or other contaminants handled on site as part of your CAFO operation. This would include, but not limited to, pesticides, herbicides, animal dips, disinfectants, etc. Specify the method of disposal for each chemical/contaminant.

7. Best Management Practice (BMPs). Describe the BMPs used to control runoff of pollutants from the production area, and land application area. Please note that "production area" means that part of a CAFO that includes the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The "animal confinement area" includes but in not limited to open lots, housed lots, feedlots, confinement houses, stall barns, animal walkways, and stables. The "manure storage area" includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under house or pit storages, liquid impoundments, static piles, and composting piles. The "raw material storage area" includes but is not limited to feed silos, silage bunkers, and bedding materials. The "waste containment area" includes but is not limited to settling basins, and areas within berms and diversions which separate uncontaminated storm water. Also included in the definition of production area is any egg washing or egg processing facility, and any area used in the storage, handling, treatment, or disposal of mortalities. If you transfer all of the wastes your CAFO produces, and do not land apply any of it to ground under your operational control, then you will not have any land application area BMPs to describe.

### Section E – Land Application:

If all of the manure produced at your facility will be transferred to other persons for use in areas beyond your operational control, then you do not need to provide the information requested in Section E. of this form.

### Photos and/or maps:

Manure /waste handling and nutrient management restrictions that must be on the photo/map include buffers and setbacks around state surface waters, well heads, etc.

Nutrient Management and Waste Utilization via Land Application:

The purpose for having two options is to allow the producer to make use of the valuable technical assistance provided by the USDA's Natural Resources Conservation (NRCS), if you should desire.

Land Application Equipment Calibration:

Land application equipment calibration in essential to ensuring that nutrients are being applied at agronomic rates. Please provide specific information on how equipment will be calibrated. The CAFO shall maintain the supporting documentation on site and shall make this information available to DEQ upon request.

Manure sampling and Analysis: Manure must be sampled per ARM 17.30.1334.

When sending manure or soil samples to a laboratory for analysis, it is your responsibility to make sure that the lab uses the correct sampling procedures. Approved Laboratories can be found in Montana State University Extension Service Publication 4449-1, Soil Sampling and Laboratory Selection, June 2005. Before you take any samples, talk to the lab that you intend to use. Ask them if they have specific instructions in order to help ensure

that the analysis results you get are occurate as possible. If they do, then you lest follow their instructions in order to help ensure that the analysis results you get are as accurate as possible.

Linear Approach Nutrient budget work Sheet. You will most likely need to fill out multiple photocopies of the nutrient budget work sheet.

Line 1 Enter in the planned crop nutrient needs in pounds per acre from <a href="http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx">http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx</a> MSU EB 161.

Line 2 Enter the credits from previous legume crop pounds per acre. See http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx for Legume crop credits.

Line 3 Enter nutrient credits from second year manure applications pounds per acre. See <a href="http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx">http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx</a> for mineralization rate

Line 4 Enter nutrients supplied by commercial fertilizer in pounds per acre. This can be starter or other fertilizer that is applied prior to manure application.

Line 5 Enter nutrients supplied by any irrigation water in pounds per acre.

Line 6 Subtract lines 2 through 5 from line 1 and enter in the space provided

Line 7 Enter in the nitrogen or phosphorus from sample taken of manure or process waster water within the last year.

Line 8 Enter in the Nutrient Avalibility Factor. See <a href="http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx">http://deq.mt.gov/wqinfo/mpdes/cafo.mcpx</a> for Nitrogen Avalibility factor. Enter 1 for phosphorus.

### Section F – Certification:

If Form NMP is filled out by one person and signed by another, the person signing the document should read it thoroughly. Always retain a copy of each of the documents that you send to the Department.

If you have any questions concerning how to fill out this form, or other forms related to the Montana Pollutant Discharge Elimination System (MPDES) discharge permitting program, please contact the Department's Water Protection Bureau at:

Phone: (406) 444-3080 Fax: (406) 444-1374 1520 East Sixth Avenue P.O. Box 200901 Helena, MT 59620-0901

Field: Tre		e CIU	p: Oura	Υε	ear: 200			
Field Category Factor	None (0)	Low (1)	Medium (2)	High (4)	Very High (8)	Risk Value (0,1,2,4,8)	Weight Factor	Weight Risk
Soil Erosion		<5 tons/as/yr	5-10 ton/ac/yr	10-15 tons/ac/yr	QA> 10 for erodible soils	1	X 1.5	1,5
Furrow Irrigation Erosion	ØA	Tail water recovery, QS>6 very erodible soils, or QS>10 other soils		QS> for erodible soils	QA>6 for very erodible soils		X 1.5	
Sprinkler Irrigation Erosion	All fields 0- 3% slope, all sandy fields or field evaluation indicates little or no runoff large spray on silts 3-8%	Medium spray on silty soils 3- 15% slopes, large spray on silty soils 8- 15% slope, low spray on silt soils 3-8% large spray on clay soil 3-15% slope	Medium spray on clay soils 3- 8% slopes, large spray on clay soils >15% slope, medium spray on silt soil >15% slope	slope, low spray on clay soil 3-8%	>8% slopes		X 1.5	
Runoff Class	Negligible	Very Low or Low	Medium	High	Very High	-1	X 0.5	1.5
Olson Soil Test P		<20 ppm	20-40 ppm	40-80 ppm	>80 ppm	1	X 0.5	1,5
Commercial P Fertilizer Application Method	None Applied	Placed with Planter or injection deeper than 2 inches	Incorporated <3 months prior to planting or surface applied during growing season	1	Surface applied to pasture or >3 months before crop emerges	t	X 1.0	1.5.
P Fertilizer Application Rate	None Applied	<30 lbs/ac P205	31-90 lbs/ac P205	91-150 Ibs/ac P205	>150 lbs/ac P205	2	X 1.0	3,
	Applied	deeper than 2 inches	planting or surface applied during growing season	>3 months before crop	Surface applied to pasture or >3 months before crop emerges	2	X 1.0	Let
- I		3		91-150 lbs/ac P205	>150 lbs/ac P205		X 1.0	1.0
Distance to Concentrate I Surface Vater Flow	X	200-1,000 feet, or functioning grass waterways in concentrated surface water	100-200 feet		O feet or application are directly into concentrate d surface water flow areas.		X 1.0	C
otal Phoenh	orus Index V	/aluo:						14



# Rombo Buil



**Common Land Unit** 

Other Use
Tract Boundary

Cropland Rangeland

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation


Compliance Provisions

2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 3817

29-31N-12E

Tract Cropland Total: 318.62 acres



Common Land Unit

Tract Boundary

Cropland

Rangeland

Wetland Determination Identifiers

Restricted Use

 $\nabla$ Limited Restrictions


Exempt from Conservation Compliance Provisions

Tract Cropland Total: 286.89 acres

2016 Program Year Map Created September 09, 2015

Farm 6859 **Tract 3868** 25-31N-11E





Common Land Unit

Cropland

Tract Boundary

Wetland Determination Identifiers

Restricted Use

∇ Limited Restrictions

Exempt from Conservation Compliance Provisions


Tract Cropland Total: 315.41 acres

2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 3886 35-31N-11E

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).





Tract Boundary

Cropland CRP

Wetland Determination Identifiers

Restricted Use

 $\nabla$ Limited Restrictions

Exempt from Conservation Compliance Provisions

Tract Cropland Total: 445.44 acres


2016 Program Year Map Created September 09, 2015

> Farm 6859 **Tract 4289**

1-30N-11E

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data as is and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).





Common Land Unit

Tract Boundary

Cropland

Other Use

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

**Exempt from Conservation** Compliance Provisions

Tract Cropland Total: 313.07 acres


2016 Program Year Map Created September 09, 2015

> Farm 6859 Tract 4290 2-30N-11E

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and programs. Wetland identifiers do not represent the size, shape, or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).







Cropland

Tract Boundary

Wetland Determination Identifiers

- Restricted Use
- Exempt from Conservation Compliance Provisions

Tract Cropland Total: 320.92 acres


2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 4321 12-30N-11E

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).



Monafield liberty busty



Common Land Unit Tract Boundary

Cropland

Other Use

Wetland Determination Identifiers

Restricted Use

 $\nabla$ Limited Restrictions

**Exempt from Conservation** 

Compliance Provisions


2016 Program Year Map Created September 09, 2015

> Farm 6859 **Tract 4807** 12-37N-7E

Tract Cropland Total: 318.92 acres

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).





**Common Land Unit** 

Cropland

Tract Boundary

Wetland Determination Identifiers

Restricted Use (

 $\nabla$ Limited Restrictions


Exempt from Conservation Compliance Provisions

Tract Cropland Total: 35.73 acres

2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 5809

1-30N-11E



Cropland

★ Other Use

Wetland Determination Identifiers

Restricted Use

Exempt from Conservation Compliance Provisions

Tract Cropland Total: 482.78 acres

2016 Program Year Map Created September 09, 2015

Farm 6859 Tract 5863 29-31N-12E

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).



Department of Hill County, Montana Building Site Hidden Valley ROAD 90 S

Common Land Unit

Tract Boundary

Cropland

Wetland Determination Identifiers

Restricted Use

Other Use

 $\nabla$ Limited Restrictions

Exempt from Conservation

Compliance Provisions

Tract Cropland Total: 482.78 acres

2016 Program Year Map Created September 09, 2015

Farm 6859 **Tract 5863** 

30-31N-12E



Department of Hill County, Montana Buildin Hidden Wally Agriculture ROAD 90 9

Common Land Unit

Tract Boundary

Cropland Rangeland

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation Compliance Provisions

Tract Cropland Total: 459.43 acres

2016 Program Year Map Created September 09, 2015

> Farm 6859 **Tract 6838**

30-31N-12E



Cropland

Rangeland

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

**Exempt from Conservation** 


Compliance Provisions

Tract Cropland Total: 161.79 acres

2016 Program Year Map Created September 09, 2015

Farm 6859 **Tract 7241** 31-31N-12E





Common Land Unit Tract Boundary

> Cropland Rangeland

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation

Compliance Provisions

2016 Program Year Map Created September 09, 2015

> Farm 6859 **Tract 7317**

Tract Cropland Total: 609.11 acres

18-37N-8E



Common Land Unit

Other Use
Tract Boundary

Cropland Rangeland

Wetland Determination Identifiers

Restricted Use

Exempt from Conservation
Compliance Provisions

Tract Cropland Total: 609.11 acres

2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 7317

7-37N-8E



Common Land Unit 🔀

Other Use Tract Boundary 2016 Program Year Map Created September 09, 2015

Wetland Determination Identifiers

Farm 6859 **Tract 7547** 

Restricted Use


Cropland Rangeland

Limited Restrictions Exempt from Conservation Compliance Provisions

31-31N-12E

Tract Cropland Total: 164.45 acres





#### **Common Land Unit**

Cropland

Tract Boundary

Wetland Determination Identifiers

Restricted Use

Exempt from Conservation Compliance Provisions

Tract Cropland Total: 151.79 acres

2016 Program Year Map Created September 09, 2015

> Farm 6859 Tract 7548 31-31N-12E





Common Land Unit

Tract Boundary

Cropland CRP 2016 Program Year
Map Created September 09, 2015

Farm 6859 Tract 7597

Tract Cropland Total: 97.28 acres

5-30N-12E


#### Wetland Determination Identifiers

Restricted Use

Exempt from Conservation Compliance Provisions



bavalles



#### **Common Land Unit**

Cropland

Tract Boundary

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation Compliance Provisions


Tract Cropland Total: 315.98 acres

2016 Program Year Map Created September 09, 2015

Farm 6859 Tract 8495

30-36N-8E





**Common Land Unit** 

Cropland

Tract Boundary

#### Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation Compliance Provisions


Tract Cropland Total: 311.77 acres

2016 Program Year Map Created September 09, 2015

> Farm 6859 Tract 8496

> > 12-37N-7E





Common Land Unit Tract Boundary

Cropland

Rangeland

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

Exempt from Conservation 527 Compliance Provisions

Wendland

2016 Program Year Map Created September 09, 2015

Farm 1042 **Tract 4886** 

8-31N-10E

Tract Cropland Total: 294.29 acres

# Soils Inventory Report

# HIDDEN VALLEY COLONY INC

Name and the state of the state		OFOM LIMC	
Map Unit Symbol		Acres	Percent
1	71C	58.4	1%
2	24D	110.7	2%
	22E	57	
	28A	15.8	1%
3	11B	514.7	0%
3:	31B	194	9%
	33A	439.9	4%
	36A	13	8%
	37A	294,8	0%
	2A	124.6	5%
	1C		2%
	1B	728.2	13%
	3B	184	3%
		2479.5	45%
96		21.6	0%
96		47.2	1%
	3B	121.9	2%
	3B	46.7	1%
Tot	al:	5452	100%